





PR 150-50



Weight	3.12 kg/m	Moment of inertia I _x	12.18 cm ⁴
Part no. 6 m	201095 6000	Moment of inertia I _y	251.82 cm ⁴
		Moment of resistance W _x	8.12 cm ³
		Moment of resistance W _y	33.58 cm ³

- Aluminium, naturally anodised
- 7 T-slot inserts for slot nuts
- 3 hollow inserts for M5/M6 screws
- Standard length: 6000 mm


PR 300-50



Weight	6.55 kg/m	Moment of inertia I _x	25.6 cm ⁴
Part no. 6 m	201113 6000	Moment of inertia I _y	1994.76 cm ⁴
		Moment of resistance W _x	17.07 cm ³
		Moment of resistance W _y	132.98 cm ³

- Aluminium, naturally anodised
- 13 T-slot inserts for slot nuts
- 6 hollow inserts for M5/M6 screws
- Standard length: 6000 mm


PR 450-50



Weight	10.46 kg/m	Moment of inertia I _x	42.51 cm ⁴
Part no. 6 m	201097 6000	Moment of inertia I _y	6982.28 cm ⁴
		Moment of resistance W _x	28.34 cm ³
		Moment of resistance W _y	310.32 cm ³

- Aluminium, naturally anodised
- 17 T-slot inserts for slot nuts
- 9 hollow inserts for M5/M6 screws
- Standard length: 6000 mm

PR 600-50




Weight	17.20 kg/m	Moment of inertia I _x	64.12 cm ⁴
Part no. 3 m	201099 3000	Moment of inertia I _y	19268.13 cm ⁴
		Moment of resistance W _x	42.75 cm ³
		Moment of resistance W _y	642.27 cm ³


- Aluminium, naturally anodised
- 23 T-slot inserts for slot nuts
- 12 hollow inserts for M5/M6 screws
- Standard length: 3000 mm



T-SLOT NUT 1



Thread	Height [mm]	Packaging unit [PU]	Part number/PU
M4	3	20	209001 0030
M5	4	20	209001 0021
M6	5	20	209001 0032
M8	6	20	209001 0034




- T-slot nut for aluminium T-slot
- Clamp and expander fixing
- Material galvanised steel
- Thread M4, M5, M6 and M8

T-SLOT NUT 2




Thread	Height [mm]	Packaging unit [PU]	Part number/PU
M4	3	20	209001 0017
M5	4	20	209001 0022
M6	5	20	209001 0031
M8	6	20	209001 0033




- T-slot nut for aluminium T-slot
- Clamp and expander fixing
- Material galvanised steel
- Thread M4, M5, M6, M8 and fixing M4 (incl. grub screw)

T-SLOT NUT 4




Thread	Packaging unit [PU]	Part number/PU
M5	20	209001 0055
M6	20	209001 0056
M8	20	209001 0057
M6 (stainless)	20	209001 0058




- T-slot nut for aluminium T-slot
- Clamp and expander fixing
- Thread M5, M6 and M8 (galvanised steel)
- Thread M6 stainless

T-SLOT NUT 6



Minimum order quantity
1 PU


Thread	Packaging unit [PU]	Part number/unit
M6	100 units	209001 0015
M8	100 units	209001 0018



- T-slot nut with pressure ball for aluminium T-slot
- Slot nut can be retroactively tilted
- Material galvanised steel
- Thread M6 or M8





T-SLOT NUT 7



- T-slot nut galvanised steel
- Thread M6 and M5 at the front
- For angle fixing in the T-slot
- Can be slid into T-slot

Thread	Packaging unit [PU]	Part number/unit
M6	100 units	209001 0268


T-SLOT NUT 8



- T-slot nut long galvanised steel
- Thread M4, M5, M6
- For clamp and expander fixing
- Can be slid into T-slot

Thread	Packaging unit [PU]	Part number/PU
M4	20 units	209001 0023
M5		209001 0024
M6		209001 0025



T-SLOT NUT 9



- T-slot nut galvanised steel
- Rectangular shape with M5 thread
- For clamp and expander fixing
- Can be slid into T-slot

Thread	Packaging unit [PU]	Part number/PU
M5	10 units	209001 0287

T-SLOT NUT 10



- T-slot nut short galvanised steel
- Thread M4, M5, M6
- For clamp and expander fixing
- Can be slid into T-slot

Thread	Packaging unit [PU]	Part number/PU
M4	20 units	209001 0026
M5		209001 0027
M6		209001 0028