

T Slot Accessories for Industrial Workbenches and Extrusions

For details and solid models, see www.isel-us.com

For Orders CALL Isel USA Inc, 516-595-7495



Workbench with optional shelf

Note that all accessories listed are compatible with the T Slot table tops



T Nuts

Model	Part Number	"M" Thread	Package Size	Nut Type	Price/pack
	209001 0056	M6	20	T-Nut	\$10.40
	209001 0058	M6 (stainless steel)	20	T-Nut	\$26.50
	209001 0030	M4	20	Oval Nut	\$10.40
	209001 0021	M5	20	Oval Nut	\$10.40
	209001 0032	M6	20	Oval Nut	\$12.00
	209001 0034	M8	20	Oval Nut	\$12.00
	209001 0017	M4	20	Oval Nut with Set Point	\$18.60
	209001 0022	M5	20	Oval Nut with Set Point	\$18.60
	209001 0031	M6	20	Oval Nut with Set Point	\$22.40
	209001 0033	M8	20	Oval Nut with Set Point	\$22.40
	209001 0007	M5	20	Midslot Insertable T Nut	\$17.50
	209001 0016	M6	20	Midslot Insertable T Nut	\$17.50
	209001 0008	M8	20	Midslot Insertable T Nut	\$17.50




	Part Number	Product Description	Nut Type	Size	Package Size	Price EACH
	209004 0001	M6 Oval T Nut	M6 Oval T Nut	25x13x5mm	Pack of 50	\$30.00
	209005 0001	M6 Oval Double T Nut	M6 Oval Double T Nut	45x13x5mm	Pack of 25	\$20.20
	209005 0004	M6 Chamfered T nut	M6 Chamfered T nut	13.8x7.6x16mm	Pack of 20	\$9.80
	209005 0005	M5 Diamond T Nut	M5 Diamond T Nut	13.5x7.8x8 mm	Pack of 20	\$13.20
	209005 0006	M6 Diamond T Nut	M6 Diamond T Nut	13.5x7.8x8 mm	Pack of 20	\$13.20
	209010	M6 Tapped Rail	M6 Tapped Rail on 50mm cent.	13x5x1000mm	3 per pack	\$54.20
	209119 0003	M6 T nut, DIN 508	M6 T nut, DIN 508		Pack of 20	\$26.00

Machined Angle Plates available in heights up to 670mm/26"

- Light weight die-cast aluminum for durability
- Mounting surfaces milled flat to 0.05 mm (.002 in)
- Perpendicular machined surfaces are accurate to 0.1 mm (.004 in)
- Unmachined surfaces have black or silver powder-coated finish for longevity
- Gusseted sides provide strength and rigidity
- All through holes and slots are designed for M6 or 1/4-20 screws
- Mounting through holes are on a 25, 50, or 100 mm grid for easy assembly and flexibility
- Wall thicknesses range from 12 mm (.5 in) to 15 mm (.6 in) to resist large forces and vibrations
- Suitable for machine components, machining mounting block, universal angular mount
- Aluminum alloy plates feature high thermal conductivity and corrosion resistance
- 45° mounting slots on Series 3 offer additional mounting flexibility
- Optional cover plates available
- COMPATIBLE WITH ALL OUR [T-SLOT TABLE PLATE EXTRUSIONS](#)
- COMPATIBLE WITH ALL OUR [T-SLOT WORKBENCHES](#)

	MODEL CATALOG NUMBER	OVERALL DIMENSIONS MM (in)	WEIGHT Kg (Lb)	Price (EACH)
	WV1 209110 0010	71 x 71 x 75 (2.8 x 2.8 x 3) Dimensioned Drawing or <i>SOLID MODEL</i>	0.2 (.44)	\$17.50
	WV2 209110 0022 Matching Cover Plate P/N: 209110 0021	446 x 221 x 75 (17.6 x 8.7 x 3) Dimensioned Drawing or <i>SOLID MODEL</i>	2.6 (5.7)	\$181.30

	<p>WV3 209110 0032 Matching Cover Plate P/N: 209110 0031</p>	<p>446 x 221 x 221 (17.6 x 8.7 x 8.7) <u>Dimensioned</u> <u>Drawing</u> or <u>SOLID MODEL</u></p>	<p>5.8 (12.8)</p>	<p>\$307.80</p>
	<p>WV5 209110 0050 Matching Cover Plate P/N: 209110 0051</p>	<p>670 x 220 x 75 (26.4 x 8.7 x 3) <u>Dimensioned</u> <u>Drawing</u> or <u>SOLID MODEL</u></p>	<p>5.3 (11.7)</p>	<p>\$461.70</p>
	<p>WV6 209110 0060 Matching Cover Plate P/N: 209110 0061</p>	<p>670 x 220 x 220 (26.4 x 8.7 x 8.7) <u>Dimensioned</u> <u>Drawing</u> or <u>SOLID MODEL</u></p>	<p>13.3 (29.8)</p>	<p>\$621.40</p>
	<p>WV7 209110 0070 Matching Cover Plate P/N: 209110 0071</p>	<p>670 x 220 x 145 (26.4 x 8.7 x 5.7) <u>Dimensioned</u> <u>Drawing</u> or <u>SOLID MODEL</u></p>	<p>10.8 (23.8)</p>	<p>\$557.40</p>

	<p>WV8 209110 0080 Matching Cover Plate P/N: 209110 0081</p>	<p>446 x 222 x 145 (17.6 x 8.8 x 5.7) <u>Dimensioned</u> <u>Drawing</u> or <u>SOLID MODEL</u></p>	<p>7.4 (16.3)</p>	<p>\$670.70</p>
	<p>WV19 209110 0190 Cover plate not available</p>	<p>300 x 150 x 221 (11.8 x 5.9 x 8.7) <u>Dimensioned</u> <u>Drawing</u> or <u>SOLID MODEL</u></p>	<p>2.5 (5.6)</p>	<p>\$175.80</p>
	<p>Angle Plate Covers are clear anodized aluminum. Also available in stainless steel on special order.</p>	<p>Screws to angle bracket.</p>		

Robot Adapter Mounting Plates (Mtg hardware included)

Universal Robot Model	Drawing	Price EACH
UR3, UR3e, mounting plate		\$210.00
UR5, UR5e mounting plate		\$235.00
UR10, UR10e, UR16e mounting plate		\$295.00

FANUC Model	Drawing	Price EACH
CRX-5iA		\$235.00
CRX-10iA, CRX-10iA/L, and CRX-20iA		\$295.00

	<p>ADJUSTABLE TOGGLE CLAMP</p> <p>Made of steel, the Adjustable Toggle Clamp is ideal for holding odd shaped parts. The front screw can be positioned along the T slot while the rear screw adjusts the pressure on the part. Both M6 screws and an M6 T-Slot nut are included with the clamp. PN 290051</p>	<p>\$36.85</p>
	<p>LOW PROFILE CAM LOCK CLAMP</p> <p>This cam clamp is designed for lighter low profile materials such as engraving plastic sheets. The T slot mounting hardware is included. PN 290001</p>	<p>\$55.90</p>
	<p>HEAVY-DUTY CAM LOCK CLAMP</p> <p>Made of black oxidized hardened steel, this clamp will provide up to 2500 N of clamping force with 100 N (22.5 lbf) of actuating force. A rotation of the locking arm will provide a clamp stroke of 4 mm (.15 in). 15 mm (.6 in) high, 32 mm (1.3 in) wide, 107 mm (4.2 in) overall length. Provided with two-hole nut strip and screws to allow mounting to a T-Slot. PN 290002</p>	<p>\$66.90</p>
	<p>CLAMP BARS</p> <p>Made of plated steel, these Clamp Bars are 10 mm (.39 in) high and 20 mm (.8 in) wide. Available in 3 lengths of 125, 175 and 250 mm. To be used with either the cam lock clamps or the pneumatic clamps to make a work holder. Provided with screws and nuts to allow mounting to a T-Slot.</p> <p>PN: 125mm clamp bars 290021 0125 175mm clamp bars 290021 0175 225mm clamp bars 290021 0225</p>	<p>\$43.00</p> <p>\$49.10</p> <p>\$60.80</p>
	<p>PNEUMATIC CLAMP</p> <p>Made of hardened steel with a black oxide finish, the Pneumatic Clamp is provided with screws and nuts for mounting to the T-Slots and a fitting for 6 mm (.23 in) OD, 4 mm (.15 in) ID plastic pressure tube. PN 290010</p>	<p>\$122.20</p>



MANUAL VISES

These Manual Vises are made of steel with side slots for flexible mounting. The moveable jaws have side guides and the stationary jaws have both horizontal and vertical V-slots for holding round objects. Both jaws have support surfaces for holding flat objects PN 290056

\$393.20